

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	44	14	a	15	10	a	59	13	a
Black, not Hispanic	257	83	a	137	88	a	394	85	a
Hispanic	*	*	a	*	*	a	10	*	a
Asian/Pacific Islander	*	0	a	0	0	a	*	0	a
American Indian/Alaska Native	*	0	a	0	0	a	*	0	a
Unknown/Multiple Race	*	*	a	*	0	a	*	*	a
Total	310	100	a	156	100	a	466	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	*	*	*	*
13-14	0	0	0	0	0	0
15-24	67	22	23	15	90	19
25-34	76	25	49	31	125	27
35-44	96	31	51	33	147	32
45-54	54	17	20	13	74	16
55-64	*	*	7	4	20	4
>=65	*	*	*	*	*	*
Total	310	100	156	100	466	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	173	56	a	a	173	37
Injection drug use (IDU)	*	*	*	*	6	1
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	12	4	80	51	92	20
Mother with/at risk for HIV	0	0	*	*	*	*
Other/unknown	117	38	72	46	189	41
Total	310	100	156	100	466	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	33	56	137	35	*	*	0	0	*	100	*	100	173	37
Injection drug use (IDU)	*	*	*	*	*	*	0	0	0	0	0	0	6	1
Male-to-male sex and IDU	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	*	*	85	22	*	*	0	0	0	0	0	0	92	20
Mother with/at risk for HIV	0	0	*	*	0	0	0	0	0	0	0	0	*	*
Other/unknown	18	31	165	42	*	*	*	100	0	0	0	0	189	41
Total	59	100	394	100	10	100	*	100	*	100	*	100	466	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	307	99	155	99	462	99
Definitive case	*	*	*	*	*	*
Presumptive case	*	*	*	*	*	*
Total	310	100	156	100	466	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	24	13	a
Black, not Hispanic	115	82	a	44	90	a	159	84	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	*	*	a	0	0	a	*	*	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	140	100	a	49	100	a	189	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	289	311	284	285	310	5,493
Females	160	164	127	148	156	2,077
Total	449	475	411	433	466	7,570

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	66	54	35	47	59	1,516
Black, not Hispanic	377	404	368	372	394	5,925
Hispanic	*	11	*	10	10	85
Asian/Pacific Islander	*	0	*	*	*	9
American Indian/Alaska Native	0	*	0	0	*	5
Unknown/Multiple Race	*	*	*	*	*	30
Total	449	475	411	433	466	7,570

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	56	43	29	40	44	1,348
White, not Hispanic: Female	10	11	6	7	15	168
Black, not Hispanic: Male	228	257	249	232	257	4,043
Black, not Hispanic: Female	149	147	119	140	137	1,882
Hispanic: Male	*	9	*	10	6	68
Hispanic: Female	*	*	*	0	*	17
Asian/Pacific Islander: Male	*	0	*	0	*	7
Asian/Pacific Islander: Female	0	0	0	*	0	2
American Indian/Alaska Native: Male	0	0	0	0	*	3
American Indian/Alaska Native: Female	0	*	0	0	0	2
Unknown/Multiple Race: Male	*	*	*	*	*	24
Unknown/Multiple Race: Female	0	*	*	0	0	6
Total	449	475	411	433	466	7,570

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	75
13-14	*	*	*	*	0	10
15-24	99	79	81	86	90	1,319
25-34	114	154	116	134	125	2,877
35-44	127	126	125	113	147	2,128
45-54	80	81	65	73	74	838
55-64	17	22	16	20	20	235
>=65	8	8	*	5	*	88
Total	449	475	411	433	466	7,570

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	168	184	159	164	173	3,476
Injection drug use (IDU)	19	10	9	5	6	509
Male-to-male sex and IDU	10	0	*	0	*	294
Heterosexual contact	160	140	98	107	92	2,004
Mother with/at risk for HIV	*	*	*	*	*	65
Other/unknown	*	*	140	*	189	1,222
Total	449	475	411	433	466	7,570

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	142	172	158	164	201	2,073
Females	96	91	84	103	121	1,061
Total	238	263	242	267	322	3,134

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	40	34	19	28	34	510
Black, not Hispanic	197	220	219	233	281	2,576
Hispanic	*	7	*	*	5	31
Asian/Pacific Islander	0	0	*	*	*	6
American Indian/Alaska Native	0	*	0	0	0	1
Unknown/Multiple Race	*	*	*	*	*	10
Total	238	263	242	267	322	3,134

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	35	25	16	24	23	423
White, not Hispanic: Female	5	9	*	*	11	87
Black, not Hispanic: Male	106	141	139	135	172	1,612
Black, not Hispanic: Female	91	79	80	98	109	964
Hispanic: Male	*	6	*	*	*	26
Hispanic: Female	0	*	*	0	*	5
Asian/Pacific Islander: Male	0	0	*	0	*	4
Asian/Pacific Islander: Female	0	0	0	*	0	2
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	*	0	0	0	1
Unknown/Multiple Race: Male	0	0	*	*	*	8
Unknown/Multiple Race: Female	*	*	0	0	0	2
Total	238	263	242	267	322	3,134

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	52
13-14	*	*	*	0	0	10
15-24	69	56	64	66	80	711
25-34	63	88	76	85	95	1,110
35-44	64	71	63	64	89	816
45-54	26	29	25	40	44	309
55-64	8	13	8	9	11	97
>=65	*	*	*	*	*	29
Total	238	263	242	267	322	3,134

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	84	97	81	87	104	1,217
Injection drug use (IDU)	7	*	*	*	5	135
Male-to-male sex and IDU	5	0	*	0	*	66
Heterosexual contact	83	68	63	71	71	891
Mother with/at risk for HIV	*	*	*	*	*	50
Other/unknown	*	92	91	106	139	775
Total	238	263	242	267	322	3,134

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	176	243	197	206	256	3,420
Females	96	106	75	73	102	1,016
Total	272	349	272	279	358	4,436

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	29	40	20	27	48	1,006
Black, not Hispanic	239	301	244	243	301	3,349
Hispanic	*	*	6	5	8	54
Asian/Pacific Islander	0	*	0	0	0	3
American Indian/Alaska Native	0	0	*	*	*	4
Unknown/Multiple Race	*	*	*	*	*	20
Total	272	349	272	279	358	4,436

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	24	36	17	22	41	925
White, not Hispanic: Female	5	*	*	5	7	81
Black, not Hispanic: Male	148	202	175	176	209	2,431
Black, not Hispanic: Female	91	99	69	67	92	918
Hispanic: Male	*	*	*	5	5	42
Hispanic: Female	0	*	*	0	*	12
Asian/Pacific Islander: Male	0	*	0	0	0	3
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	*	3
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	*	*	*	*	0	16
Unknown/Multiple Race: Female	0	*	*	*	0	4
Total	272	349	272	279	358	4,436

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	*	0	0	0	17
13-14	0	*	*	*	0	2
15-24	27	30	20	25	25	347
25-34	81	105	72	83	86	1,651
35-44	91	116	102	95	136	1,535
45-54	57	71	64	55	80	647
55-64	9	21	11	17	20	174
>=65	7	5	*	*	11	63
Total	272	349	272	279	358	4,436

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	111	151	130	122	154	2,259
Injection drug use (IDU)	18	25	14	16	8	374
Male-to-male sex and IDU	6	5	0	*	8	228
Heterosexual contact	107	117	76	67	87	1,113
Mother with/at risk for HIV	0	*	0	0	0	15
Other/unknown	30	*	52	*	101	447
Total	272	349	272	279	358	4,436

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	2,765	2,936	3,106	3,275	3,445
Females	1,164	1,272	1,362	1,456	1,563
Total	3,929	4,208	4,468	4,731	5,008

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	772	797	814	842	877
Black, not Hispanic	3,105	3,342	3,581	3,805	4,040
Hispanic	33	44	46	54	61
Asian/Pacific Islander	5	5	6	7	8
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	3,929	4,208	4,468	4,731	5,008

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	674	692	704	727	749
White, not Hispanic: Female	98	105	110	115	128
Black, not Hispanic: Male	2,051	2,193	2,347	2,482	2,624
Black, not Hispanic: Female	1,054	1,149	1,234	1,323	1,416
Hispanic: Male	25	34	36	45	50
Hispanic: Female	8	10	10	9	11
Asian/Pacific Islander: Male	*	*	5	5	6
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	*	*	*	*	*
Unknown/Multiple Race: Male	11	13	14	16	16
Unknown/Multiple Race: Female	*	5	5	5	*
Total	3,929	4,208	4,468	4,731	5,008

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	102	140	185	239	316
25-34	853	947	1,033	1,131	1,221
35-44	1,561	1,638	1,704	1,769	1,859
45-54	1,027	1,069	1,110	1,145	1,166
55-64	285	304	321	332	328
>=65	66	71	73	71	72
Total	3,929	4,208	4,468	4,731	5,008

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,759	1,860	1,951	2,051	2,142
Injection drug use (IDU)	286	276	273	270	260
Male-to-male sex and IDU	145	136	131	123	124
Heterosexual contact	1,209	1,284	1,339	1,386	1,425
Mother with/at risk for HIV	46	50	53	55	57
Other/unknown	484	602	721	846	1,000
Total	3,929	4,208	4,468	4,731	5,008

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	119	140	114	116	140	2,048
Females	57	56	37	54	49	514
Total	176	196	151	170	189	2,562

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	25	29	18	19	24	639
Black, not Hispanic	149	167	129	148	159	1,885
Hispanic	*	0	*	*	*	24
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	*	3
Unknown/Multiple Race	*	0	*	*	*	10
Total	176	196	151	170	189	2,562

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	21	25	17	17	22	599
White, not Hispanic: Female	*	*	*	*	*	40
Black, not Hispanic: Male	96	115	95	97	115	1,419
Black, not Hispanic: Female	53	52	34	51	44	466
Hispanic: Male	*	0	*	*	*	18
Hispanic: Female	0	0	*	*	*	6
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	*	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	0	*	*	*	8
Unknown/Multiple Race: Female	0	*	*	0	*	2
Total	176	196	151	170	189	2,562

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	*	0	0	10
13-14	0	0	0	0	0	0
15-24	17	5	6	10	*	99
25-34	39	38	32	34	36	795
35-44	68	69	63	56	63	966
45-54	39	62	37	48	53	460
55-64	5	16	10	15	26	156
>=65	8	6	*	7	*	76
Total	176	196	151	170	189	2,562

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	73	83	68	64	82	1,334
Injection drug use (IDU)	19	20	12	8	16	249
Male-to-male sex and IDU	5	9	7	8	*	170
Heterosexual contact	64	65	43	60	53	579
Mother with/at risk for HIV	0	0	0	0	0	8
Other/unknown	15	19	21	30	*	222
Total	176	196	151	170	189	2,562

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.